

## Haddenham

Beetles identified by R.G. Booth on a visit to the 'Guppy's Pond' area  
TL468762 on 1st July 1995.

### CARABIDAE

*Amara aulica* (Panzer)

*Demetrius imperialis* (Germar) - a local wetland species listed as Nationally notable (Category B) in Hyman & Parsons (1992)

*Dromius linearis* (Olivier)

### STAPHYLINIDAE

*Anotylus sculpturatus* (Gravenhorst)

*Stenus bifoveolatus* Gyllenhal

SCIRTIDAE (species of wet habitats, with (semi-)aquatic larvae)

*Cyphon coarctatus* Paykull

*C. phragmiteticola* Nyholm

*Scirtes hemisphaericus* (Linnaeus)

### CANTHARIDAE

*Cantharis nigra* (De Geer)

*Rhagonycha fulva* (Scopoli)

### DERMESTIDAE

*Anthrenus fuscus* Olivier

### ANOBIIDAE

*Ptilinus pectinicornis* (Linnaeus) **Fan-bearing Wood-borer a wood-boring beetle, specimen found in an elm stump.**

### NITIDULIDAE

*Kateretes rufilabris* (Latreille) - a wetland species

*Meligethes aeneus* (Fabricius)

### PHALACRIDAE

*Phalacrus fimetarius* (Fabricius)

*Stilbus oblongus* (Erichson) - a wetland species

### COCCINELLIDAE

*Coccidula scutellata* (Herbst) - a wetland species

*Rhyzobius litura* (Fabricius)

*Anisosticta novemdecimpunctata* (Linnaeus) - a wetland species

### LATHRIDIIDAE

*Aridius bifasciatus* (Reitter)

### OEDEMERIDAE

*Oedemera lurida* (Marsham)

### CHRYSOMELIDAE

*Galerucella californiensis* is a species of leaf beetle in the family Chrysomelidae. It is commonly known as the **Black-margined Loosestrife beetle** and is native to Europe and Asia where both adults and larvae feed on Purple Loosestrife (*Lythrum salicaria* (Linnaeus) - a wetland species

*Longitarsus jacobaeae* (Waterhouse)

*L. suturellus* (Duftschmid)

*Altica lythri* Aubé - a common species of damp habitats

*Batophila aerata* (Marsham)

*Crepidodera ferruginea* (Scopoli)

*Chalcoides fulvicornis* (Fabricius)

*Chaetocnema concinna* (Marsham)

*C. hortensis* (Fourcroy)

### APIONIDAE

*Apion onopordi* Kirby

*A. malvae* (Fabricius)

*A. tenue* Kirby  
*A. radiolus* (Marsham)

*A. rufirostre* (Fabricius)

CURCULIONIDAE

*Sitona lineatus* (Linnaeus)                      *S. humeralis* Stephens  
*Hypera rumicis* (Linnaeus)                      *H. postica* (Gyllenhal)  
*Tanysphyrus lemnae* (Paykull) - a wetland species, feeds on *Lemna*.  
*Ceutorhynchus chalybaeus* (Germar) [= *timidus* Weise]  
*C. pyrrhorhynchus* (Marsham)  
*Ceutorhynchus constrictus* (Marsham) - a local species associated with *Alliaria petiolata* garlic mustard and listed as Nationally notable (Category B) in Hyman & Parsons (1992)  
*Tychius* (= *Miccotrogus*) *picirostris* (Fabricius)  
*T. meliloti* Stephens  
*Gymnetron antirrhini* (Paykull)

Nomenclature follows Pope's 1977 checklist, unless indicated otherwise.

Most beetles were collected by sweeping around the edge of Guppy's Pond or from the rough grassland/ disturbed areas nearby. Time for searching was very limited and the above list barely scratched the surface of the potential list of species for the area. No attempt was made to collect any water beetles and these would be well worthwhile sampling. The finding of two Notable species, one wetland, one from disturbed ground, was encouraging.

R.G. Booth  
28th January 1996

**Beetles from Haddenham in 1997**

(a) Lower part of Drove Road TL455750, 13.vii.1997

COCCINELLIDAE

*Tytthaspis sedecimpunctata* (Linnaeus)

CERAMBYCIDAE

*Anoplodera livida* (Fabricius), 1 on mayweed flower

(b) Guppy's Pond area TL468762, 13.vii.1997

CARABIDAE - ground beetles

*Amara ovata* (Fabricius)

STAPHYLINIDAE - rove beetles

*Atheta hybrida* (Sharp), one female, a rarely collected species with very few British records.

LUCANIDAE - stag beetles

*Dorcus parallelipipedus* (Linnaeus), the lesser stag beetle, 1 on fallen elm trunk

CANTHARIDAE - soldier beetles

*Rhagonycha fulva* (Scopoli)

DERMESTIDAE

*Anthrenus verbasci* (Linnaeus)

ANOBIIDAE - woodworm beetles

*Anobium punctatum* (De Geer)

CLERIDAE

*Opilo mollis* (Linnaeus), a predator of woodboring insects, 1 on young elms

NITIDULIDAE - pollen and sap beetles  
*Meligethes nigrescens* Stephens

MYCETOPHAGIDAE  
*Pseudotriphyllus suturalis* (Fabricius)

TENEBRIONIDAE  
*Lagria hirta* (Linnaeus)

CHRYSOMELIDAE  
*Podagrica fuscipes* (Fabricius)                      *P. fuscicornis* (Linnaeus)

APIONIDAE  
*Apion aeneum* (Fabricius)                      *A. onopordi* Kirby

CURCULIONIDAE  
*Zacladus exiguus* (Olivier)  
*Ceutorhynchus floralis* (Paykull)

(c) Guppy's Pond area TL468762, 28.x.1997

STAPHYLINIDAE  
*Proteinus ovalis* Stephens  
*Omalium rivulare* (Paykull)  
*Atheta crassicornis* (Fabricius)                      *A. nigra* (Kraatz)

**Beetles from Haddenham and Aldreth in 1998**

(a) Aldreth TL437735, beetles from small willows by roadside or from ground from roadside verge, 5.vii.1998

CARABIDAE  
*Microlestes maurus* (Sturm)  
*Syntomus truncatellus* (Linnaeus) [was *Metabletus*]  
*Syntomus obscuroguttatus* (Duftschmid) [was *Metabletus*]

STAPHYLINIDAE  
*Astenus lyonessius* (Joy)

NITIDULIDAE  
*Epuraea unicolor* (Olivier)  
*Carpophilus marginellus* Motschulsky

CURCULIONIDAE  
*Cryptorhynchus lapathi* (Linnaeus) - collected as larva in short gallery in willow stem, adult emerging later

(b) Haddenham, pond dipping at Long Ponds TL469759 during afternoon, 5.vii.1998

HALIPLIDAE  
*Haliphus ruficollis* (De Geer)

DYTISCIDAE  
*Hygrotus inaequalis* (Fabricius)  
*Hydroporus palustris* (Linnaeus)  
*Agabus bipustulatus* (Linnaeus)

CERAMBYCIDAE  
*Stenocorus meridianus* (Linnaeus), 1 seen on tree trunk

(c) Haddenham, moth trapping after dark along track TL468762, 5.vii.1998

LUCANIDAE

*Dorcus parallelepipedus* (Linnaeus), under elm bark

SCARABAEIDAE

*Aphodius rufipes* (Linnaeus)

ELATERIDAE

*Melanotus villosus* (Geoffroy)

TENEBRIONIDAE

*Lagria hirta* (Linnaeus)

(d) Aldreth TL441726, along drove road to bridge, 6.vii.1998

ELATERIDAE

*Hemicrepidius hirtus* (Herbst) [was *Athous*]

CANTHARIDAE

*Rhagonycha fulva* (Scopoli)

*Malthodes minimus* (Linnaeus)

**Beetles from Haddenham in 2000**

(a) Aldreth TL445727, sieving hay refuse at base of rolled bales at edge of field, 15.iii.2000

CARABIDAE

*Syntomus truncatellus* (Linnaeus) [was *Metabletus*]

*Syntomus obscuroguttatus* (Duftschmid) [was *Metabletus*]

*Demetrius atricapillus* (Linnaeus)

HYDROPHILIDAE

*Megasternum concinnum* agg.

PTILIIDAE

*Ptenidium pusillum* (Gyllenhal)

SCYDMAENIDAE

*Euconnus duboisi* Méquignon

STAPHYLINIDAE

*Metopsia retusa* (Stephens)

*Omalium rivulare* (Paykull)

*Anotylus rugosus* (Fabricius)

*Stenus aceris* Stephens

*Lithocharis nigriceps* Kraatz

*Sunius propinquus* (Brisout)

*Astenus pulchellus* (Heer)

*Rugilus orbiculatus* (Paykull)

*Heterothops minutus* Wollaston

*Quedius humeralis* Stephens

*Tachyporus hypnorum* (Fabricius)

*Tachyporus nitidulus* (Fabricius)

*Tachyporus solutus* Erichson

*Cypha longicornis* (Paykull)

*Amischa decipiens* (Sharp)

*Atheta (Microdota) amicula* (Stephens)

*Atheta (Datomicra) nigra* (Kraatz)

*Atheta (Mocyta) fungi* (Gravenhorst)

*Atheta (Mocyta) clientula* sensu (Sharp) not (Erichson)

*Drusilla canaliculata* (Fabricius)

CLAMBIDAE

*Calyptomeres dubius* (Marsham)

RHIZOPHAGIDAE

*Monotoma testacea* Motschulsky

*Monotoma quadricollis* Aubé

CRYPTOPHAGIDAE

*Cryptophagus acutangulus* Gyllenhal

*Atomaria testacea* Stephens

*Atomaria nitidula* (Marsham)

CORYLOPHIDAE

*Orthoperus brunnipes* (Gyllenhal)

COCCINELLIDAE

*Tytthaspis sedecimpunctata* (Linnaeus)

LATRIDIIDAE

*Stephostethus lardarius* (De Geer)

*Enicmus transversus* (Olivier)

*Corticaria serrata* (Paykull)

*Corticaria impressa* (Olivier)

*Corticaria punctulata* Marsham

*Corticarina minuta* (Fabricius) [= *fuscula* (Gyllenhal)]

CHRYSOMELIDAE

*Longitarsus dorsalis* (Fabricius)

(b) Haddenham TL4476, debris from barn owl nest box, 8.vii.2000

HISTERIDAE

*Carcinops pumilio* (Erichson)

*Gnathoncus schmidti* Reitter

(c) Haddenham, Long Ponds area TL469759, 9.vii.2000

CARABIDAE

*Dromius quadrinotatus* (Zenker)

STAPHYLINIDAE

*Atheta crassicornis* (Fabricius)

CANTHARIDAE

*Malthinus frontalis* (Marsham)

ANOBIIDAE

*Hemicoelus fulvicornis* (Sturm)

*Anobium inexpectatum* Lohse

NITIDULIDAE

*Epuraea unicolor* (Olivier)

MYCETOPHAGIDAE

*Pseudotriphyllus suturalis* (Fabricius)

APIONIDAE

*Apion vorax* Herbst

CURCULIONIDAE

*Ceutorhynchus pollinarius* (Forster)

**Beetles from Haddenham and Aldreth in 2003**

(a) Sieving litter at base of bales, edge of fenland fields, Haddenham TL4376, 5.vii.2003

CARABIDAE

*Notiophilus biguttatus* (Fabricius)  
*N. substriatus* Waterhouse  
*Loricera pilicornis* (Fabricius)  
*Bembidion lampros* (Herbst)  
*Dromius melanocephalus* Dejean  
*Metabletus truncatellus* (Linnaeus)

PTILIIDAE

*Ptenidium pusillum* (Gyllenhal)  
*Acrotrichis fascicularis* (Herbst)

LEIODIDAE

*Agathidium laevigatum* Erichson

SCYDMAENIDAE

*Scydmorephes helvolus* (Schaum)

STAPHYLINIDAE

*Metopsia retusa* (Stephens)  
*Sunius propinquus* (Brisout)  
*Astenus lyonessius* (Joy)  
*Rugilus orbiculatus* (Paykull)  
*Gyrophypnus fracticornis* (Müller)  
*Staphylinus globulifer* Geoffroy  
*Heterothops minutus* Wollaston  
*Quedius picipes* (Mannerheim)  
*Cypha longicornis* (Paykull)  
*Aloconota gregaria* (Erichson)  
*Atheta palustris* (Kiesenwetter)  
*Oxypoda haemorrhoea* (Mannerheim)

CLAMBIDAE

*Calyptomereus dubius* (Marsham)

CRYPTOPHAGIDAE

*Cryptophagus acutangulus* Gyllenhal  
*C. pilosus* Gyllenhal  
*Atomaria testacea* Stephens

CORYLOPHIDAE

*Orthoperus atomus* (Gyllenhal)

LATRIDIIDAE

*Latridius anthracinus* Mannerheim  
*Enicmus transversus* (Olivier)  
*Corticaria serrata* (Paykull)

(b) sweeping vegetation at edge of dyke, Haddenham TL433766, 5.vii.2003

CARABIDAE

*Ophonus rufibarbis* (Fabricius)

STAPHYLINIDAE

*Anotylus rugosus* (Fabricius)  
*Atheta fungi* (Gravenhorst)  
*A. amacula* (Stephens)

ELATERIDAE

*Athous bicolor* (Goeze)

CANTHARIDAE

*Cantharis rufa* Linnaeus  
*Rhagonycha fulva* (Scopoli)

NITIDULIDAE

*Brachypterolus pulicarius* (Linnaeus)  
*Meligethes aeneus* (Fabricius)  
*M. morosus* Erichson

CRYPTOPHAGIDAE

*Atomaria linearis* Stephens

CHRYSOMELIDAE

*Oulema melanopus* (Linnaeus)

CURCULIONIDAE

*Ceutorhynchus erysimi* (Fabricius)  
*C. contractus* (Marsham)

(c) sweeping along flower-rich bank on Fairchild's farm, Haddenham TL440769,  
5.vii.2003

SCYDMAENIDAE

*Stenichnus scutellaris* (Müller & Kunze)

STAPHYLINIDAE

*Tachyporus solutus* Erichson

ELATERIDAE

*Agriotes sputator* (Linnaeus)

CANTHARIDAE

*Rhagonycha fulva* (Scopoli)

NITIDULIDAE

*Meligethes aeneus* (Fabricius)

PHALACRIDAE

*Phalacrus fimetarius* (Fabricius)

COCCINELLIDAE

*Rhyzobius litura* (Fabricius)  
*Subcoccinella vigintiquatuorpunctata* (Linnaeus)

LATRIDIIDAE

*Latridius anthracinus* Mannerheim  
*Aridius bifasciatus* (Reitter)  
*Enicmus transversus* (Olivier)  
*Cortinicara gibbosa* (Herbst)

BRUCHIDAE

*Bruchus loti* Paykull

CHRYSOMELIDAE

*Phaedon tumidulus* (Germar)  
*Longitarsus suturellus* (Duftschmid)  
*Altica carinthiaca* Weise, feeds on *Lathyrus*, only recently recognised as a  
British species  
*Psylliodes chrysocephala* (Linnaeus)

APIONIDAE

*Apion gibbirostre* (Gyllenhal)

CURCULIONIDAE

*Sitona lineatus* (Linnaeus)  
*Nedyus quadrimaculatus* (Linnaeus)  
*Gymnetron pascuorum* (Gyllenhal)

(d) Sutton Gault TL4380, along bank and at edge of New Drain, 6.vii.2003

STAPHYLINIDAE

*Platystethus cornutus* (Gravenhorst)

CANTHARIDAE

*Cantharis thoracica* (Olivier)  
*Rhagonycha fulva* (Scopoli)

NITIDULIDAE

*Meligethes aeneus* (Fabricius)

LATRIDIIDAE

*Latridius anthracinus* Mannerheim  
*Corticicara gibbosa* (Herbst)

MORDELLIDAE

*Mordellistena variegata* (Fabricius)

CHRYSOMELIDAE

*Donacia semicuprea* Panzer  
*Galerucella sagittariae* (Gyllenhal)  
*Podagrica fuscicornis* (Linnaeus)  
*Chalcoides plutus* (Latreille)  
*Epitrix pubescens* (Koch)

CURCULIONIDAE

*Hypera pollux* (Fabricius), found as larvae feeding on *Apium nodiflorum* growing among *Sparganium* at edge of dyke, adults reared later in the month confirmed identification  
*Notaris acridulus* (Linnaeus)  
*Ceutorhynchus pallidactylus* (Marsham)

(e) beating various trees and shrubs in Nine Acre Wood, Aldreth TL444722, 6.vii.2003

CARABIDAE

*Demetrias atricapillus* (Linnaeus)  
*Dromius linearis* (Olivier)

STAPHYLINIDAE

*Tachyporus solutus* Erichson  
*T. hypnorum* (Fabricius)  
*Cypha longicornis* (Paykull)  
*Aloconota gragaria* (Erichson)  
*Amischa decipiens* (Sharp)  
*Atheta clientula* auctt.

SCIRTIDAE

*Cyphon ochraceus* Stephens

ELATERIDAE

*Athous bicolor* (Goeze)

CANTHARIDAE

*Rhagonycha femoralis* (Brullé)  
*R. fulva* (Scopoli)



CLERIDAE

*Opilo mollis* (Linnaeus), 1 beaten from hawthorn, a **Notable B** species

NITIDULIDAE

*Meligethes aeneus* (Fabricius)

*Epuraea unicolor* (Olivier)

*Glischrochilus hortensis* (Geoffroy)

CRYPTOPHAGIDAE

*Atomaria atricapilla* Stephens

*A. nitidula* (Marsham)

PHALACRIDAE

*Phalacrus fimetarius* (Fabricius)

COCCINELLIDAE

*Coccinella septempunctata* Linnaeus

*Subcoccinella vigintiquatuorpunctata* (Linnaeus)

LATRIDIIDAE

*Cortinicara gibbosa* (Herbst)

CHRYSOMELIDAE

*Phaedon tumidulus* (Germar)

*Phratora vitellinae* (Linnaeus)

*Chalcoides plutus* (Latreille)

*C. aurata* (Marsham)

*C. aurea* (Geoffroy)

*Psylliodes chrysocephala* (Linnaeus)

APIONIDAE

*Apion simile* Kirby

*A. vorax* Herbst

CURCULIONIDAE

*Ceutorhynchus pallidactylus* (Marsham)

*Rhynchaenus testaceus* (Müller), 1 beaten from cherry or alder growing next to each other. This was once a more widespread species, but with very few recent (post 1970) records, this species is currently afforded **Red Data Book 2 - Vulnerable** status. This find appears to be the first record for Cambridgeshire.

(f) sieving litter from grass heap and base of bales, Aldreth TL4373, 6.vii.2003

CARABIDAE

*Amara similata* (Gyllenhal)

HYDROPHILIDAE

*Cercyon pygmaeus* (Illiger)

HISTERIDAE

*Atholus duodecimstriatus* (Schrank)

*Carcinops pumilio* (Erichson)

PTILIIDAE

*Ptenidium laevigatum* Erichson

*Nephanes titan* (Newman)

*Acrotrichis sanctaehelenae* Johnson (corrected from *A. grandicollis* (Mannerheim))

STAPHYLINIDAE

*Stenus brunnipes* Stephens

*Lithocharis ochracea* (Gravenhorst)

*Rugilus orbiculatus* (Paykull)  
*Gyrophynus fracticornis* (Müller)  
*Phacophallus parumpunctatus* (Gyllenhal)  
*Philonthus discoideus* (Gravenhorst)  
*P. rectangulus* Sharp  
*Tachinus signatus* Gravenhorst  
*Cilea silphoides* (Linnaeus)  
*Oligota parva* Kraatz  
*Amischa analis* (Gravenhorst)  
*A. nigrofusca* (Stephens)  
*Atheta atramentaria* (Gyllenhal)  
*Trichiusa immigrata* Lohse

#### CLAMBIDAE

*Calyptomeres dubius* (Marsham)  
*Clambus pubescens* Redtenbacher

#### RHIZOPHAGIDAE

*Monotoma bicolor* Villa & Villa  
*M. brevicollis* Aubé  
*M. picipes* Herbst  
*M. spinicollis* Aubé  
*M. testacea* Motschulsky

#### SILVANIDAE

*Ahasverus advena* (Waltl)

#### CRYPTOPHAGIDAE

*Cryptophagus acutangulus* Gyllenhal  
*C. distinguendus* Sturm  
*Atomaria lewisi* Reitter  
*A. testacea* Stephens  
*A. atricapilla* Stephens  
*Ephistemus globulus* (Paykull)

#### CORYLOPHIDAE

*Orthoperus atomus* (Gyllenhal)

#### LATRIDIIDAE

*Latridius anthracinus* Mannerheim  
*Enicmus transversus* (Olivier)  
*Dienerella ruficollis* (Marsham)  
*Corticaria serrata* (Paykull)

#### ANTHICIDAE

*Anthicus floralis* (Linnaeus)  
*A. formicarius* (Goeze)

#### CURCULIONIDAE

*Ceutorhynchus picitarsis* Gyllenhal

### **Beetles from Haddenham and Aldreth in 2004**

(a) edge of Nine Acre Wood and bank of River Great Ouse, Aldreth TL4472,  
14.vi.2004

#### PHALACRIDAE

*Phalacrus fimetarius* (Fabricius)

#### CERAMBYCIDAE (Longhorn beetles)

*Clytus arietis* (Linnaeus), the Wasp Beetle, watched flying/ walking over  
surface of dead elm at edge of wood

#### CHRYSOMELIDAE (Leaf beetles)

*Donacia semicuprea* Panzer, on *Glyceria* at edge of river  
*Podagrica fuscicornis* (Linnaeus), on mallow

CURCULIONIDAE (weevils and bark beetles)

*Scolytus multistriatus* (Marsham), one of the bark beetles responsible for the spread of Dutch Elm Disease, under bark of dead elm at edge of wood

(b) water-netting dyke, Haddenham TL433766, 14.vi.2004

HALIPLIDAE (water beetles)

*Haliplus lineatocollis* (Marsham)  
*H. immaculatus* Gerhardt

DYTISCIDAE (water beetles)

*Hyphydrus ovatus* (Linnaeus)  
*Nebrioporus assimilis* (Paykull)  
*Ilybius quadriguttatus* (Lacordaire)

HYDROPHILIDAE (water beetles)

*Berosus luridus* (Linnaeus)

PHALACRIDAE

*Phalacrus fimetarius* (Fabricius)

COCCINELLIDAE (ladybirds)

*Subcoccinella vigintiquatuorpunctata* (Linnaeus)

CHRYSOMELIDAE (Leaf beetles)

*Phaedon cochleariae* (Fabricius), feeds on water cress etc.

CURCULIONIDAE (weevils and bark beetles)

*Poophagus sisymbrii* (Fabricius)

(c) in large fungus on elm log at Guppy's Pond, Haddenham TL468762, 16.vi.2004

LATRIDIIDAE

*Enicmus transversus* (Olivier)

#### **Beetles from Haddenham and Aldreth area in 2005**

(a) Bury Lane, Haddenham TL460749, 9.vii.2005

APIONIDAE

*Apion simile*

CURCULIONIDAE

*Rhamphus oxyacanthae*

(b) late evening at Nine Acre Wood, Aldreth TL444722, 9.vii.2005

CARABIDAE

*Leistus rufescens*

HYDROPHILIDAE

*Helophorus minutus*

STAPHYLINIDAE

*Tachyporus hypnorum*

SCARABAEIDAE

*Aphodius rufipes*

ELATERIDAE

*Agriotes obscurus*

Agriotes sputator

NITIDULIDAE

Meligethes aeneus

COCCINELLIDAE

Subcoccinella vigintiquattuorpunktata

Tytthaspis sedecimpunctata

Hippodamia variegata

TENEBRIONIDAE

Lagria hirta

CHRYSOMELIDAE

Phaedon tumidulus

Chalcoides aurea

Podagrica fuscicornis

(c) around edge of pits by old railway line, Haddenham TL462765, 10.vii.2005

CARABIDAE

Bembidion lunulatum (Geoffroy in Fourcroy)

STAPHYLINIDAE

Stenus brunnipes Stephens

Tachyporus nitidulus (Fabricius)

Hygronoma dimidiata (Gravenhorst)

Alianta incana (Erichson)

CANTHARIDAE

Cantharis thoracica (Olivier)

Silis ruficollis (Fabricius)

PHALACRIDAE

Phalacrus caricis Sturm

COCCINELLIDAE

Coccidula rufa (Herbst)

Coccidula scutellata (Herbst)

Anisosticta novemdecimpunctata (Linnaeus)

Tytthaspis sedecimpunctata (Linnaeus)

Coccinella septempunctata Linnaeus

LATRIDIIDAE

Cortinicara gibbosa (Herbst)

CHRYSOMELIDAE

Oulema melanopus agg.

Gastrophysa polygoni (Linnaeus)

Gastrophysa viridula (De Geer)

CURCULIONIDAE

Hypera pollux (Fabricius)

Gymnetron villosulum Gyllenhal - on pink water speedwell, Veronica catenata

(d) Bury Lane, Haddenham TL460750, sieving grass cuttings, 10.vii.2005

STAPHYLINIDAE

Philonthus sordidus (Gravenhorst)

Oligota parva Kraatz

Oligota pumilio Kiesenwetter

Atheta (Datomicra) nigra (Kraatz)

(e) Tubb's Farm, Sutton TL4078, scrapings from barn owl nest box, 12.vii.2005

HISTERIDAE

*Gnathoncus communis* (Marseul) [= *schmidti* Reitter]

*Gnathoncus rotundatus* (Kugelann) [= *nanus* (Scriba)]

**Beetles from Haddenham in 2007**

(a) Bury Lane, Haddenham TL460750, attracted to mv light at night, 13.vii.2007

CARABIDAE

*Harpalus rufipes* (De Geer)

*Ophonus rufibarbis* (Fabricius)

*Ophonus ardosiacus* (Lutshnik)

HYDROPHILIDAE

*Laccobius striatulus* (Fabricius)

SILPHIDAE

*Necrodes littoralis* (Linnaeus)

SCARABAEIDAE

*Aphodius rufipes* (Linnaeus)

CRYPTOPHAGIDAE

*Telmatophilus brevicollis* Aubé

CERAMBYCIDAE

*Arhopalus rusticus* (Linnaeus)

CURCULIONIDAE

*Curculio venosus* (Gravenhorst)

(b) Bury Lane, Haddenham TL460750, beating honeysuckle in hedge, 14.vii.2007

ANOBIIDAE

*Dryophilus pusillus* (Gyllenhal)

NITIDULIDAE

*Epuraea unicolor* (Olivier)

SCRAPTIIDAE

*Anaspis regimbarti* Schilsky

(c) Haddenham TL4775, afternoon pasture area walk with HCS members,  
14.vii.2007

CARABIDAE

*Elaphrus riparius* (Linnaeus)

*Bembidion articulatum* (Panzer)

*Dromius melanocephalus* Dejean

STAPHYLINIDAE

*Tachyporus nitidulus* (Fabricius)

CRYPTOPHAGIDAE

*Cryptophagus setulosus* Sturm

CHRYSOMELIDAE

*Bruchidius varius* (Olivier)

ATTELABIDAE

*Rhynchites germanicus* Herbst

CURCULIONIDAE

*Liophloeus tessulatus* (Müller, O.F.)

*Zacladus exiguus* (Olivier)

*Ceutorhynchus typhae* (Herbst) [= *floralis* (Paykull)]

*Rhynchaenus alni* (Linnaeus)

(d) Bury Lane, Haddenham TL460750, 15.vii.2007

DYTISCIDAE

*Scarodytes halensis* (Fabricius)

NITIDULIDAE

*Omosita colon* (Linnaeus)

LATRIDIIDAE

*Corticaria serrata* (Paykull)

(e) Haddenham TL460750, attracted to mv light at night, 15.vii.2007

CARABIDAE

*Stenolophus mixtus* (Herbst)

*Bradycellus verbasci* (Duftschmid)

DYTISCIDAE

*Rhantus suturalis* (MacLeay)

HYDROPHILIDAE

*Anacaena lutescens* (Stephens)

SCARABAEIDAE

*Aphodius rufipes* (Linnaeus)

(f) Haddenham TL4376, sieving large heap of horse manure, stable sweepings, cow dung and straw, etc. at edge of fen drove road, 15.vii.2007

CARABIDAE

*Amara bifrons* (Gyllenhal)

*Syntomus obscuroguttatus* (Duftschmid) [was *Metabletus*]

*Syntomus truncatellus* (Linnaeus) [was *Metabletus*]

HYDROPHILIDAE

*Cercyon unipunctatus* (Linnaeus)

*Cercyon analis* (Paykull)

*Cercyon quisquilius* (Linnaeus)

*Cercyon haemorrhoidalis* (Fabricius)

PTILIIDAE

*Ptenidium pusillum* (Gyllenhal)

*Nephanes titan* (Newman)

*Acrotrichis montandoni* (Allibert)

*Acrotrichis thoracica* (Waltl)

STAPHYLINIDAE

*Oxytelus sculptus* Gravenhorst

*Astenus pulchellus* (Heer)

*Lithocharis nigriceps* Kraatz

*Rugilus orbiculatus* (Paykull)  
*Megalinus glabratus* (Gravenhorst) [was *Xantholinus*]  
*Philonthus cognatus* Stephens  
*Philonthus cephalotes* (Gravenhorst)  
*Philonthus sordidus* (Gravenhorst)  
*Habrocerus capillaricornis* (Gravenhorst)  
*Oligota parva* Kraatz  
*Nehemitropia lividipennis* (Mannerheim) [= *sordida* (Marsham)]  
*Atheta* (*Dimetrota*) *atramentaria* (Gyllenhal)  
*Atheta* (*Datomicra*) *nigra* (Kraatz)  
*Atheta* (*Mocyta*) *fungi* (Gravenhorst)  
*Trichiusa immigrata* Lohse  
*Acrotona pygmaea* (Gravenhorst)  
*Oxyroda haemorrhoea* (Mannerheim)  
*Crataraea suturalis* (Mannerheim)  
*Euplectus sanguineus* Denny

#### RHIZOPHAGIDAE

*Monotoma picipes* Herbst

#### SILVANIDAE

*Ahasverus advena* (Waltl)

#### CRYPTOPHAGIDAE

*Atomaria testacea* Stephens [= *ruficornis* (Marsham)]  
*Atomaria lewisi* Reitter  
*Ephistemus globulus* (Paykull)

#### CORYLOPHIDAE

*Orthoperus aequalis* Sharp

#### LATRIDIIDAE

*Latridius porcatus* Herbst [= *anthracinus* Mannerheim]  
*Corticaria serrata* (Paykull)

#### MYCETOPHAGIDAE

*Litargus balteatus* LeConte

#### ANTHICIDAE

*Anthicus floralis* (Linnaeus)  
*Anthicus formicarius* (Goeze)

### Haddenham Beetles 2013

Beetles (Coleoptera) recorded by Roger Booth at Fairchild's Meadows, 30 June 2013, during the HCS Bug Hunt day.

#### CARABIDAE (Ground beetles)

*Bembidion articulatum* (Panzer)  
*Bembidion lunulatum* (Geoffroy in Fourcroy)  
*Agonum marginatum* (Linnaeus)

#### DYTISCIDAE (Water beetles)

*Hyphydrus ovatus* (Linnaeus)  
*Hygrotus* (*Coelambus*) *confluens* (Fabricius)  
*Hydroporus planus* (Fabricius)  
*Agabus bipustulatus* (Linnaeus)

#### HELOPHORIDAE (Water beetles)

*Helophorus aequalis* Thomson  
*Helophorus griseus* Herbst

HYDROPHILIDAE (Water beetles)  
*Enochrus testaceus* (Fabricius)

STAPHYLINIDAE (Rove beetles)  
*Stenus cicindeloides* (Schaller)  
*Gnypeta carbonaria* (Mannerheim)  
*Philonthus quisquiliarius* (Gyllenhal)

CANTHARIDAE (Soldier beetles)  
*Malthodes minimus* (Linnaeus)  
*Cantharis pallida* Goeze  
*Silis ruficollis* (Fabricius)

COCCINELLIDAE (Ladybird beetles)  
*Tytthaspis sedecimpunctata* (Linnaeus)  
*Psyllobora vigintiduopunctata* (Linnaeus)  
*Subcoccinella vigintiquattuorpunctata* (Linnaeus)

OEDEMERIDAE  
*Oedemera nobilis* (Scopoli)

CHRYSOMELIDAE (Leaf beetles)  
*Neocrepidodera transversa* (Marsham)

APIONIDAE (Weevils, in part)  
*Apion trifolii* (Linnaeus)  
*Apion apricans* Herbst

CURCULIONIDAE (Weevils)  
*Sitona sulcifrons* (Thunberg)